PRESENTING INDIA'S MOST ADVANCED 24-SEATER

TRAVELLER

FORCE

LIGHT BUS | CARGO VAN | SCHOOL BUS | AMBULANCE

HIDST ECONOMICAL

FORC

www.belhasa-force.com



DELIVERY VAN



Extra large cargo volume of 17 Cu.m

TRAVELLER 24 SEATER



24 Seat van with Spacious seating, over head AC Vents and Mobile charging points for each set

AMBULANCE



4 Stretcher Intensive Care Ambulance

SCHOOL BUS



School bus offering the best in safety and comfort











TECHNICAL SPECIFICATIONS

							مو دیل			
MODEL		TRAVELLER T2	SCHOOL BUS	DELIVERY VAN	AMBULANCE	TRAVELLER	مودین			
FORCE							TRAVELLA			
EXTERIOR DIMENSIONS	Seating capacity	23 + 1	23 + 1	1 + 1	2 + 1	23 + 1	عدد المقاعد			
	Wheel Base (mm)			4020			قاعدة العجلات (مم)			
	Ground Clearance (mm)	190					اقل ارتفاع عن الارض (مم)			
	Turning Radius (m)	7					قطر الدوران (م)			
	Fuel Tank Capacity (L)	70					سعة التنك (لتر)			
	Exterior Dimensions (L x W x H)	6670 x 2225 x 2870 (with A/C) (mm)					الابعاد الخارجية (طول x عرض x ارتفاع) (مم)			
	Inner Cargo (L x W x H)	Х	Х	4653 x 2000 x 1880 (mm)		Х	الابعاد الداخلية (طول x عرض x ارتفاع) (مم)			
	Payload (Kgs)	Х	Х	2500		Х	الحمولة القصوى (كجم)			
	Cargo Volume (m)	Х	Х	17.4		Х	حجم السعة الداخلية (م)			
	Gross Vehicle Weight (kgs)	5750 5550				5250	الحمولة الإجمالية (كجم)			
ENGINE	Engine Type (Mercedes Licensed Engine)					Euro III, 2.2L, 4 cyl, CRDi with dual mass fly wheel	نوع الحرك : مصنع و مرخص من شركة مرسيدس.	المحرك		
	Max. Power (kw@rpm)	85 kw (114hp) @ 2800 rpm 95 kw (129 hp) @ 3800					اقصى قوة للمحرك (كيلو وات/ حصان)/ لفة . دقد	المعرك		
	Max. Torque (Nm@rpm)	320 Nm @ 1400-2400 rpm 295 Nm @ 1600-2400 rpm					اقصى عزم للمحرك (نيوتن . متر) / لفة .دقيقة			
TRANSMISSION	Gears & Type	5 Forward 1 Reverse, 5th gear Overdrive , Synchromesh					نوع ناقل الحركة و نظام التروس	ناقل الحركة		
AXLES	Front Axel	Dead Rigid, I-Beam, Reverse Elliot Type					المحور الامامي	المحاور		
	Rear Axle	Live Rigid					المحور الخلقى	,		
SUSPENSION	Front & Rear	Semi Elliptical Leaf Spring with Hydraulic Shock Absorbers and Anti Roll Bar					الامامي والخلفي	نظام التعليق		
STEERING	Steering Type	LHD Power Steering					نوع التوجيه	التوجيه		
CLUTCH	Clutch Type	Dry Friction, single plate & hydraulically actuated					نوع الدبرياج	الدبرياج		
BRAKES	Brakes	Dual circuit, Hydraulic vacuum assisted with ABS & EBD (Optional)					نوع المكابح	المكابح		
	Front & Rear	4- Piston, Ventilated, Disc Brake with wear indicator					الامامي و الخلفي			
	Parking Brake	Mechanical on rear wheels					مكابح الوقوف			
TYRES & WHEELS	Tyre Size	Radial - 215 / 75 R15					مقاس الاطارات	الاطارات و العجلات		
	Wheels	6.0J x 15					مقاس العجلات			
CHASSIS	Type of Chassis	Monocoque with Varying box section construction					نوع الشاسيه	الشاسيه		
FEATURES:	Ducted AC with individual vents on each seat Individual Reading Lamps Mobile and Laptop Charging Points for each seat Newspaper and Bottle carriers Luggage Racks									

Ducted AC with individual vents on each seat | Individual Reading Lamps | Mobile and Laptop Charging Points for each seat | Newspaper and Bottle carrier Automatic passenger door, 180 degree Rear door | 2 x 2 Fixed seats | Radio USB player | Oakwood finished flooring

uggage

Specifications are only for reference and subject to change without notice



Contact:
P.O. Box.: 61627 Dubai. U. A E.
P.O. Box.: 61627 Dubai. U. A E.
AL QOUZ: T. +971 4 347 2050 | RASHIDIYA: T. +971 4 284 4470 | RAS AL KHAIMAH: T. +971 7 235 1690
Email: autobh@belhasa.ae www.belhasamotors.com